

Complete list of publications

Citation Data: Total Publications: 196; Total Citations: 12,994; Average Citations per paper: 61.67.

h-index: 61

Google Scholar Link:

<https://scholar.google.com/citations?hl=en&pli=1&user=6szY5wQAAAAJ>

Summary of publications:

A) American Chemical Society's journals: Total publications: 77 (IC-40, JOC-5, JACS-16, JACS-Au: 1, Orgmet-7, Chem. Rev. 2, Acc. Chem. Res. 1, Cryst Growth & Des. 3, ACS Omega 1, ACS Catalysis: 1)

B) Royal Society's journals: Total publications: 57 (Chem. Sci. 2, ChemComm: 22, Dalton Trans: 25, NJC: 3, J. Mater. Chem: 1, RSC Adv.: 2, Cryst Engg Comm. 1, OBC: 1)

C) Elsevier's journals: Total Publications: 19 (ICActa: 10, IC Comm: 3, Tet. Lett: 1, Polyhedron: 4, J. Orgmet. Chem: 1)

D) Willey's journals: Total Publications: 32 (Angew Chem: 5, Chem. Eur. J: 21, Eur J IC: 4, ChemPlusChem: 1; Israel J. Chem: 1)

E) Indian Journals: Total Publications: 05 (Ind. J. Chem: 03, J. Chem. Sci. 1, PNAS India: 1)

F) Other journals: Total publications: 06

| | Authors | Title | Journal |
|-----|--|---|--|
| 196 | B. S. Arppitha, M. Venkataswarulu, P. Bhandari, K. S. A. Arachchige, J. Clegg, P. S. Mukherjee | An Adaptable Water-Soluble Molecular Boat for Selective Separation of Phenanthrene from Isomeric Anthracene | <i>J. Am. Chem. Soc.</i> 2022 , 144, |
| 195 | D. Chakraborty, P. S. Mukherjee | Recent Trends in Organic Cage Synthesis: Push Towards Water-Soluble Organic Cages | <i>Chem. Commun.</i> 2022 , 58, DOI: 10.1039/D2CC01014C (<i>Invited Contribution</i>) |

| | | | |
|-----|--|--|--|
| 194 | R. Saha, B. Mondal, P. S. Mukherjee | Molecular Cavity for Catalysis and Formation of Metal Nanoparticles for Use in Catalysis | Chem. Rev. 2022 , 122, accepted article |
| 193 | K. Acharyya, S. Bhattacharyya, S. Lu, Y. Sun, P. S. Mukherjee , P. J. Stang | Emissive Platinum(II) Macrocycles as Tunable Cascade Energy Transfer Scaffolds | Angew Chem. Int. Ed. 2022 , 61, https://doi.org/10.1002/anie.202200715 |
| 192 | A. Kumar, R. Banerjee, E. Zangrando, P. S. Mukherjee | Solvent and Counter-anion Assisted Dynamic Self-Assembly of Molecular Triangles and Tetrahedral Cages | Inorg. Chem. 2022 , 61, 2368-2377. |
| 191 | P. Bhandari, B. Mondal, P. Howlader, P. S. Mukherjee | Face-Directed Tetrahedral Organic Cage Anchored Palladium Nanoparticles for Selective Homocoupling Reaction | Eur. J. Inorg. Chem. 2022 , https://doi.org/10.1002/ejic.202100986 |
| 190 | P. P. Choudhury, M. Venkateswaralu, S. Bhattacharyya, P. S. Mukherjee | Silver(I) – Carbene Bond Directed Rigidification Induced Emissive Metallacage for Picric Acid Detection | Inorg. Chem. 2022 , 61, 713-722 |
| 189 | P. Bhandari, R. Modak, S. Bhattacharya, E. Zangrando, P. S. Mukherjee | Self-assembly of Octanuclear Pt/Pd-Coordination Barrels and Uncommon Structural Isomerization of a Photochromic Guest | JACS-Au , 2021 1, 2242-2246. |
| 188 | P. Choudhury, M. Maity, S. Bhattacharyya, P. S. Mukherjee | A Self-Assembled Pd(II) Barrel for Binding of Fullerenes and Photosensitization Ability of the Fullerene Encapsulated Barrel | Angew Chem. Int. Ed. 2021 , 60, 14109. |
| 187 | D. Chakraborty, R. Modak, P. Howlader, P. S. Mukherjee | <i>De novo</i> approach for the synthesis of water-soluble interlocked and non-interlocked organic cages | Chem. Commun. 2021 , 57, 3995-3997. |

| | | | |
|-----|--|--|---|
| 186 | A. Kumar, R. Saha, P. S. Mukherjee | Self-assembled metallasupramolecular cages towards light harvesting systems for oxidative cyclization | Chem. Sci. 2021 , <i>12</i> , 5319-5329. |
| 185 | P. Howlader, S. Mondal, S. Ahamad, P. S. Mukherjee | Guest-Induced Enantioselective Self-Assembly of a Pd ₆ Homochiral Octahedral Cage with a C ₃ -Symmetric Pyridyl Donor | J. Am. Chem. Soc. 2020 , <i>142</i> , 20968-20972. |
| 184 | S. Bhattacharyya, S.K. Ali, M. Venkateswarulu, P. Howlader, E. Zangrando, M. De, P. S. Mukherjee | Self-Assembled Pd ₁₂ Coordination Cage as Photoregulated Oxidase-Like Nanozyme | J. Am. Chem. Soc. 2020 , <i>142</i> , 18981-18989. |
| 183 | P. Howlader, P. Bhandari, D. Chakraborty, J. K. Clegg, P. S. Mukherjee | Self-Assembly of a Pd ₈ Macrocycle and Pd ₁₂ Homochiral Tetrahedral Cages Using Poly(tetrazolate) Linkers | Inorg. Chem. 2020 , <i>59</i> , 15454-15459. |
| 182 | B. Mondal, P. Bhandari, P. S. Mukherjee | Nucleation of Tiny Silver Nanoparticles Using a Tetrafacial Organic Molecular Barrel for Potential Use in Visible Light Triggered Photocatalysis | Chem. Eur. J. 2020 , <i>26</i> , 15007-15015. |
| 181 | S. Bhattacharyya, M. Venkateswarulu, J. Sahoo, M. De, P. S. Mukherjee | A Self-assembled Pt ^{II} ₈ Metallosupramolecular Tubular Cage as Dual Warhead Antibacterial Agent in Water | Inorg. Chem. 2020 , <i>59</i> , 12690-12699. |
| 180 | P. Howlader, E. Zangrando, P. S. Mukherjee | Self-Assembly of Enantiopure Pd ₁₂ Tetrahedral Homochiral Nanocages with Tetrazole Linkers and Chiral Recognition | J. Am. Chem. Soc. 2020 , <i>142</i> , 9070. (Featured on the Front Cover of the JACS issue) Highlighted by the ACS as JACS-Spotlights |
| 179 | A. Kumar, P. S. Mukherjee | Multicomponent Self-Assembly | Chem. Eur. J. 2020 , |

| | | | |
|-----|--|--|--|
| | Mukherjee | of Pd(II)/Pt(II) Interlocked Molecular Cages: Cage to Cage Conversion and Self-Sorting in Aqueous Medium | 26, 4842. |
| 178 | S. Bhattacharya, M. Maity, A. Chaudhury, M. L. Saha, P. J. Stang, P. S. Mukherjee | Coordination Assisted Reversible Photoswitching of Spiropyran-Based Platinum Macrocycles | <i>Inorg. Chem.</i> 2020 , <i>59</i> , 2083-2091. |
| 177 | R. Saha, P. S. Mukherjee | Chemistry of photoswitching molecules in confined nanospace of aqueous molecular vessels | <i>Dalton Trans.</i> 2020 , <i>49</i> , 1716. (Invited Frontier Article) |
| 176 | W. B. Tolman, A. L. Balch, S. Bart, B. Cossairt, S. Dehnen, P. S. Halasyamani, H. Kageyama, F. Meyer, J. Morrow, P. S. Mukherjee , F. Neese, P. P. Power, R. Sessoli, V. W. W. Yam, and H-C. Zhou | What is Inorganic Chemistry? (Editorial) | <i>Inorg. Chem.</i> 2019 , <i>58</i> , 9515. |
| 175 | I. A. Bhat, E. Zangrando, P. S. Mukherjee | Coordination-Driven Self-Assembly of Discrete Molecular Nanotubular Architectures | <i>Inorg. Chem.</i> 2019 , <i>58</i> , 11172. |
| 174 | K. Acharyya, S. Bhattacharyya, H. Sepehrpour, S. Chakraborty, S. Lu, B. Shi. X. Li, P. S. Mukherjee and P. J. Stang | Self-Assembled Fluorescent Pt(II) Metallacycles as Artificial Light-Harvesting Systems | <i>J. Am. Chem. Soc.</i> 2019 , <i>141</i> , 14565. |
| 173 | P. P. Chowdhury, S. Bhattacharyya, M. Maity, S. Mukhopadhyay, P. Howlader, P. S. Mukherjee | Linkage induced enhancement in fluorescence in metal-carbene bond directed metallacycles and cages | <i>Chem. Commun.</i> 2019 , <i>55</i> , 8309. |
| 172 | R. Modak, B. Mondal, P. Howlader, P. S. Mukherjee | Self-assembly of a "Cationic-Cage" via formation of Ag-carbene bonds followed by imine condensation | <i>Chem. Commun.</i> 2019 , <i>55</i> , 6711 - 6714 |

| | | | |
|-----|---|--|--|
| 171 | R. Saha, A. Devaraj, S. Bhattacharya, S. Das, E. Zangrando, P. S. Mukherjee | Unusual behavior of Donor-Acceptor Stenhouse Adducts in Confined Space of a Pd(II) Molecular Vessel | J. Am. Chem. Soc. 2019, 141, 8638. |
| 170 | A. Kumar, E. Zangrando and P. S. Mukherjee | Self-assembled Pd ₃ L ₂ cages having flexible tri-imidazole donors | Polyhedron, 2019, 172, 67. (Invited article) |
| 169 | K. Acharyya, P. S. Mukherjee | Organic Imine Cages: Molecular Marriage and Applications | Angew Chem. Int. Ed. 2019, 58, 8640. |
| 168 | S. Bhattacharyya, A. Chowdhury, R. Saha, P. S. Mukherjee | Multifunctional Self-Assembled Macrocycles with Enhanced Emission and Reversible Photochromic Behaviour | Inorg. Chem. 2019, 58, 3968. |
| 167 | M. Siddiqui, R. Saha, P. S. Mukherjee | Ruthenium(II) Metalla[2]Catenanes and Macrocycles via Donor-Dependent Self-Assembly | Inorg. Chem. 2019, 58, 4491. |
| 166 | T. Prakasam, A. Devaraj, R. Saha, M. Lusi, J. Brandel, D. Esteban-Gómez, C. Platas-Iglesias, P. S. Mukherjee and A. Trabolsi | Metal-Organic Trefoil Knots for C-Br Activation | ACS Catalysis, 2019, 9, 1709. |
| 165 | P. Howlader and P. S. Mukherjee | Solvent directed synthesis of molecular cage and MOF of Cu(II) paddlewheel cluster | Israel J. Chem. 2019, 59, 292. (Invited contribution in honor of Prof. M. Fujita's Wolf Prize) |
| 164 | P. Das, A. Kumar, A. Chowdhury, P. S. Mukherjee | Aggregation Induced Emission and White Light Emission from a Combination of π -Conjugated Donor-Acceptor Organic Luminogens | ACS Omega, 2018, 3, 13757. (Invited article) |
| 163 | B. Mondal, P. S. Mukherjee | Cage Encapsulated Gold Nanoparticles as Heterogeneous Photocatalyst for Facile and Selective Reduction of Nitroarenes to Azo compounds | J. Am. Chem. Soc. 2018, 140, 12592. |

| | | | |
|-----|---|---|---|
| 162 | M. Maity, P. Howlader, P. S. Mukherjee | Coordination-Driven Self-Assembly of Cyclopentadienyl Capped Heterometallic Zr-Pd Cages | <i>Cryst. Growth & Des.</i>, 2018, 18, 6956. |
| 161 | A. Aderonke, P. S. Mukherjee | Coordination self-assembly of discrete Pt-Ru prismatic cages | <i>Biel. J. Org. Chem.</i> 2018, 14, 2242. |
| 160 | A. Aderonke, A. Shettar, A. A. Bhat, P. Kondaiah, P. S. Mukherjee | Coordination self-assembly of Ru(II) architectures: Synthesis, characterization and cytotoxicity studies | <i>Dalton Trans.</i> 2018, 47, 8466 |
| 159 | A. Bhat, A. Devaraj, E. Zangrando, P. S. Mukherjee | A Discrete Self-Assembled Pd ₁₂ Triangular Orthobicupola Cage and its Use for Intramolecular Cycloaddition | <i>Chem. Eur. J.</i> 2018, 23, 13938. |
| 158 | P. Howlader, B. Mondal, P. P. Chowdhury, E. Zangrando, P. S. Mukherjee | Self-assembled molecular barrels as containers for transient merocyanine and reverse photochromism | <i>J. Am. Chem. Soc.</i> 2018, 140, 7952. |
| 157 | R. Saha, A. K. Ghosh, R. Samajder, P. S. Mukherjee | Self-assembled molecular spheroids and their proton conduction | <i>Inorg. Chem.</i> 2018 57, 6540. |
| 156 | I. Sinha and P. S. Mukherjee | Chemical Transformations in Confined Space of Coordination Architectures | <i>Inorg. Chem.</i> 2018, 57, 4205 (Invited Viewpoint article) |
| 155 | I. A. Bhat, A. Devaraj, P. Howlader and P. S. Mukherjee | A chiral Pt ₁₂ tetrahedral cage and its use in catalytic Michael addition reaction | <i>Chem. Commun.</i> 2018 54, 4814 |
| 154 | B. Roy, A. Devaraj, R. Saha, S. Jharimune, K. W. Chi, P. S. Mukherjee | Catalytic intramolecular cycloaddition reaction using a discrete molecular architecture | <i>Chem. Eur. J.</i> 2017, 23, 15704. |
| 153 | P. Das, A. Kumar, P. Howlader, P. S. Mukherjee | A self-assembled trigonal molecular prismatic molecular vessel for catalytic dehydration reactions | <i>Chem. Eur. J.</i> 2017, 23, 12565 |
| 152 | B. Mondal, A. K. Ghosh, P. S. Mukherjee | Reversible Multistimuli Switching of a Spiropyran Functionalized Organic Cage in Solid and Solution | <i>J. Org. Chem.</i> 2017, 82, 7783. |
| 151 | R. Saha, D. Samanta, A. J. Bhattacharyya, P. S. Mukherjee | Stepwise construction of self-assembled heterometallic cages showing high proton | <i>Chem. Eur. J.</i> 2017, 23, 8980. |

| | | | |
|-----|--|---|---|
| | Mukherjee | conductivity | |
| 150 | I. A. Bhat, R. Jain, M. Siddiqui, D. Saini, P. S. Mukherjee | Water-soluble Pd ₈ L ₄ self-assembled molecular barrel as an aqueous carrier for hydrophobic curcumin | <i>Inorg. Chem.</i> 2017 , <i>56</i> , 5352. |
| 149 | B. Roy, R. Saha, A. K. Ghosh, Y. Patil, P. S. Mukherjee | Versatility of diimidazole building blocks in coordination self-assembly | <i>Inorg. Chem.</i> 2017 , <i>56</i> , 3579 |
| 148 | K. Acharyya, A. Chowdhury, B. Mondal, S. Chakraborty, P. S. Mukherjee | Building block dependent morphology modulation of cage nanoparticles and detection of nitroaromatics | <i>Chem. Eur. J.</i> 2017 , <i>23</i> , 8482. |
| 147 | S. Dasgupta and P. S. Mukherjee | Carboxylatopillar[n]arenes: A versatile class of water-soluble synthetic receptors | <i>Org. Biomol. Chem.</i> 2017 , <i>15</i> , 762. |
| 146 | A. A. Ademeyo, A. Shettar, I. A. Bhat, P. Kondaiah, P. S. Mukherjee | Self-assembly of discrete Ru ₈ molecular cages and their in-vitro anticancer study | <i>Inorg. Chem.</i> 2017 , <i>56</i> , 608 |
| 145 | Chowdhury and P. S. Mukherjee | Vinylnanthracene based compounds as electron rich sensors for explosives recognition | <i>ChemPlusChem.</i> 2016 , <i>82</i> , 1360. |
| 144 | P. Howlader and P. S. Mukherjee | Face and edge directed self-assembly Pd ₁₂ tetrahedral nanocages and their self-sorting | <i>Chem. Sci.</i> 2016 , <i>7</i> , 5893. |
| 143 | A. Chowdhury, P. Howlader, P. S. Mukherjee | Aggregation induced emission of Pt(II) metallacycles and their nitroaromatics detection | <i>Chem. Eur. J.</i> 2016 , <i>22</i> , 7486. |
| 142 | B. Roy, E. Zangrando, P. S. Mukherjee | Self-assembly of a redox active water soluble Pd ₆ "Molecular Dice" | <i>Chem. Commun.</i> 2016 , 4489. |
| 141 | B. Gole, U. Sanyal, R. Banerjee, P. S. Mukherjee | High loading of Pd nanoparticles by interior functionalization of molecular pockets for heterogeneous catalysis | <i>Inorg. Chem.</i> 2016 , <i>55</i> , 2345. |
| 140 | P. Howlader, P. Das, E. Zangrando, P. S. Mukherjee | Urea functionalized self-assembled molecular prism for heterogeneous catalysis in water | <i>J. Am. Chem. Soc.</i> 2016 , <i>138</i> , 1668. |
| 139 | D. Samanta, A. Chowdhury, P. S. Mukherjee | Covalent Post-Assembly Modification and Water-Adsorption of Pd ₃ Self- | <i>Inorg. Chem.</i> 2016 , <i>55</i> , 1562. |

| | | Assembled Trinuclear Barrels | |
|-----|--|--|---|
| 138 | B. Mondal, K. Acharyya, P. Howlader, P. S. Mukherjee | Molecular cage impregnated Pd nanoparticles: Efficient additive-free heterogeneous catalysts for cyanation of aryl halides | J. Am. Chem. Soc. 2016 , 138, 1709. |
| 137 | A. Chowdhury, P. Howlader, P. S. Mukherjee | Crystallization induced emission enhancement of mechano-fluorochromic Pt(II) luminogen and its application for cysteine detection | Chem. Eur. J. 2016 , 22, 1424. |
| 136 | P. Howlader, S. Mukherjee, R. Saha, P. S. Mukherjee | Conformation-selective coordination-driven self-assembly of a ditopic donor with Pd ^{II} acceptors | Dalton Trans. 2015 , 20493. |
| 135 | A. Adeyemo, S. Shanmugaraju, D. Samanta, P. S. Mukherjee | Template-free coordination-driven self-assembly of discrete hexanuclear prismatic cages employing half-sandwich octahedral Ru ^{II} ₂ acceptors and triimidazole donors | Inorg. Chim. Acta. 2016 , 440, 62 |
| 134 | S. Shanmugaraju, P. S. Mukherjee | π -electron rich small molecule sensors for the recognition of nitroaromatics | Chem. Commun. 2015 , 51, 16014 |
| 133 | S. Das Gupta, A. Chowdhury, P. S. Mukherjee | Binding of carboxylatopillar [5]arene with alkyl and aryl ammonium salts in aqueous medium | RSC. Adv. 2015 , 85791 |
| 132 | B. Roy, S. Shanmugaraju, R. Saha, P. S. Mukherjee | Self-assembly of Metallamacrocycles Employing a New Benzil Based Organometallic Bisplatinum (II) Acceptor | CHIMIA, 2015 , 69, 541 (Invited article) |
| 131 | B. Roy, A. K. Ghosh, S. Srivastava, P. D'Silva, P. S. Mukherjee | A Pd ₈ Tetrafacial Molecular Barrel as Carrier for Water Insoluble Fluorophore | J. Am. Chem. Soc. 2015 , 137, 11916 |
| 130 | I. A. Bhat, D. Samanta and P. S. Mukherjee | A Pd ₂₄ Pregnant Molecular Nanoball: Self-Templated Stellation by Precise Mapping of Coordination Sites | J. Am. Chem. Soc. 2015 , 137, 9497 |
| 129 | A. Chowdhuri, P. S. Mukherjee | Electron rich triphenylamine based sensors for picric acid | J. Org. Chem. 2015 , 80, 4064 |

| | | | |
|-----|---|--|--|
| | | detection | |
| 128 | B. Gole, U. Sanyal and P. S. Mukherjee | A smart approach to achieve exceptionally high loading of metal nanoparticles supported by functionalized extended frameworks for efficient catalysis | Chem. Commun. 2015, 51, 4872. |
| 127 | K. Acharyya, P. S. Mukherjee | Post-synthetic exterior decoration of an organic cage by copper(I) catalyzed A ³ -coupling and detection of nitroaromatics | Chem. Eur. J. 2015, 21, 6823 |
| 126 | K. Acharyya, P. S. Mukherjee | Shape and size directed self-selection in organic cage formation | Chem. Commun. 2015, 51, 4241. |
| 125 | S. Shanmugaraju and P. S. Mukherjee | Self-assembling discrete molecules for sensing nitroaromatics | Chem. Eur. J. 2015, 21, 6656 (One of the most accessed articles in 2/2015) |
| 124 | D. Samanta and P. S. Mukherjee | Sunlight induced molecular covalent marriage of two triply interlocked Pd ₆ cages and their facile thermal separation | J. Am. Chem. Soc. 2014, 136, 17006 |
| 123 | K. Acharyya and P. S. Mukherjee | A fluorescent organic cage for picric acid detection | Chem. Commun. 2014, 50, 15788 |
| 122 | S. Mukherjee and P. S. Mukherjee | Cu ^{II} -Azide polynuclear complexes of three different building clusters with the same Schiff-base co-ligand: synthesis, structures, magnetic behavior and DFT studies | Cryst. Growth & Design. 2014, 15, 4177 |
| 121 | B. Gole, A. K. Bar and P. S. Mukherjee | Multicomponent assembly of fluorescent tag functionalized ligands in coordination frameworks for explosive sensing | Chem. Eur. J. 2014, 20, 13321 |
| 120 | D. Samanta and P. S. Mukherjee | Component selection in self-assembly of Pd(II) nanocages and cage-to-cage transformation | Chem. Eur. J. 2014, 20, 12483 |

| | | | |
|-----|---|---|--|
| 119 | B. Gole, W. Song, M. Lackinger and P. S. Mukherjee | Explosive sensing using electron rich supramolecular polymers: Role of intermolecular H-bonding in significant enhancement of sensitivity | Chem. Eur. J. 2014 , <i>20</i> , 13662 |
| 118 | D. Samanta and P. S. Mukherjee | Self-assembled multicomponent Pd ₆ aggregates showing low-humidity proton conduction | Chem. Commun. 2014 , <i>50</i> , 1595. |
| 117 | S. Mukherjee and P. S. Mukherjee | Template free multicomponent self-assembly of Pd/Pt molecular cages | Chem. Commun. 2014 , <i>20</i> , 2239. |
| 116 | D. Samanta and P. S. Mukherjee | Structural diversity in multinuclear Pd(II)-assemblies: Potential materials for low-humidity proton conduction | Chem. Eur. J. 2014 , <i>20</i> , 5649. |
| 115 | B. Gole, A. K. Bar and P. S. Mukherjee | Modification of Extended Open Frameworks with Fluorescent Tags for Sensing Explosives: Competition Between Size Selectivity and Electron Deficiency | Chem. Eur. J. 2014 , <i>20</i> , 2276. |
| 114 | K. Acharyya and P. S. Mukherjee | H-bond driven controlled molecular marriage in covalent cages | Chem. Eur. J. 2014 , <i>20</i> , 1646 |
| 113 | S. Shanmugaraju, H. Jadhav and P. S. Mukherjee | Self-assembly of chloro-bridged ruthenium based rectangle: Synthesis, structural characterization and Sensing study | Proc. Ind. Nat. Sc. Acad. 2014 , <i>84</i> , 197 (invited article) |
| 112 | B. Gole, K. C. Mondal, and P. S. Mukherjee | Tuning nuclearity of clusters by positional change of functional group: Synthesis of polynuclear clusters, crystal structures and magnetic properties | Inorg. Chim. Acta. 2014 , <i>415</i> , 151. |
| 111 | D. Samanta, S. Shanmugaraju, A. Adeyemo, and P. S. Mukherjee | Self-assembly of discrete metallamacrocycles employing half sandwich octahedral diruthenium building units and imidazole based ligands | J. Orgmet. Chem. 2014 , 703. (Invited article for a special issue) |
| 110 | S. Mukherjee, D. Samanta and P. S. Mukherjee | A Series of 3d Metal Complexes with Isomeric Phenylenedi-acetates and 1,3,5-tris(1-imidazolyl) benzene ligand: Synthesis, Structures, | Cryst. Growth & Des. 2013 , <i>14</i> , 5335. |

| | | | |
|-----|--|---|--|
| | | Magnetic and Luminescence Properties | |
| 109 | D. Samanta and P. S. Mukherjee | Pt ^{II} ₆ Nanoscopic molecular cages with organometallic backbone as sensors for picric acid | <i>Dalton Trans.</i> 2013 , 42, 16784. |
| 108 | S. Mukherjee and P. S. Mukherjee | Role of dicarboxylate linkers in Mn(III)-salicylaldehyde based extended molecular magnets | <i>Chem. Eur. J.</i> 2013 , 19, 17064. |
| 107 | B. Roy, S. Mukherjee and P. S. Mukherjee | Sr ²⁺ and Cd ²⁺ Coordination polymers: Effect of different coordinating behaviour of a newly designed tricarboxylic acid | <i>Cryst. Engg. Comm.</i> 2013 , 9596. |
| 106 | S. Anbu, S. Kamalraj, C. Jayabhaskaran and P. S. Mukherjee | Naphthalene carbohydrazone based dizinc(II) chemosensor for pyrophosphate ion and its DNA assessment application in PCR products | <i>Inorg. Chem.</i> 2013 , 52, 8294. |
| 105 | S. Ghosh, S. Mukherjee, P. Seth, A. Ghosh, P. S. Mukherjee | Solvent-Templated Supramolecular Isomerism in 2D Coordination Polymer Constructed by Ni(II) Node and Dicyanamido Spacer: Drastic Change in Magnetic Behaviors | <i>Dalton Trans.</i> 2013 , 42, 13554. |
| 104 | B. Gole, A. K. Bar, A. Mallick, R. Banerjee and P. S. Mukherjee | Electron rich porous extended framework as heterogeneous catalyst for Diels-Alder reaction | <i>Chem. Commun.</i> 2013 , 49, 7439. |
| 103 | S. Mukherjee and P. S. Mukherjee | Versatility of azide in copper(II) magnetic polyclusters formation | <i>Acc. Chem. Res.</i> 2013 , 46, 2556. |
| 102 | S. Shanmugaraju, H. Jadhav, R. Karthik, and P. S. Mukherjee | Electron rich supramolecular polymers as fluorescent sensors for nitroaromatics | <i>RSC. Advances</i> 2013 , 3, 4940. |
| 101 | B. Roy, A. K. Bar, B. Gole and P. S. Mukherjee | Fluorescent tris-imidazolium sensors for picric acid explosive | <i>J. Org. Chem.</i> 2013 , 78, 1306. |

| | | | |
|-----|--|--|---|
| 100 | K. Acharyya, S. Mukherjee and P. S. Mukherjee | Molecular marriage through partner preferences in covalent cage formation and cage-to-cage transformation | J. Am. Chem. Soc. 2013 , 135, 554. |
| 99 | D. Samanta and P. S. Mukherjee | Multicomponent self-sorting of a Pd ₇ boat and its use in catalytic Knoevenagel condensation | Chem. Commun. 2013 , 4307. (Invited contribution for a special “Emerging investigators’ issue 2013”) |
| 98 | S. Mukherjee and P. S. Mukherjee | Cu(II)-Azide polynuclear complexes of Cu ₄ building clusters with Schiff base co-ligands: synthesis, structures, magnetic and DFT studies | Dalton Trans. 2013 , 42, 4019. |
| 97 | S. Shanmugaraju, Arun K. Bar, D. Moon, P. S. Mukherjee | Coordination assembly of Pt ₄ macrocycles with organometallic backbone for sensing of acyclic dicarboxylic acids | Dalton Trans. 2013 , 2998. |
| 96 | S. Shanmugaraju, H. Jadhav, Y. Patil, P. S. Mukherjee | Self-assembly of an octanuclear Pt(II) tetragonal prism from a new Pt ₄ organometallic building unit and its nitroaromatic explosives sensing | Inorg. Chem. 2012 , 51, 13072. |
| 95 | S. Anbu, S. Shanmugaraju, R. Ravishankaran, A. Karanda, P. S. Mukherjee | Naphthylhydrazone based selective and sensitive chemosensors for Cu(II) | Dalton Trans. 2012 , 41, 13330. |
| 94 | S. Anbu, S. Shanmugaraju, R. Ravishankaran, A. Karanda, P. S. Mukherjee | A phenanthrene based highly selective fluorogenic and visual sensor for Cu(II) with nanomolar detection limit | Inorg. Chem. Comm. 2012 , 25, 26. |

| | | | |
|----|---|---|---|
| 93 | D. Samanta, S. Mukherjee, Y. Patil, P. S. Mukherjee | Self-assembled Pd ₆ cage with triimidazole walls and use of its confined nanospace for catalytic Knoevenagel and Diels-Alder reactions in aqueous medium | Chem. Eur. J. 2012 , <i>18</i> , 12322. |
| 92 | A. K. Bar, S. Mohapatra, P. S. Mukherjee | A series of Pd ₆ trifacial molecular barrels with porphyrin walls | Chem. Eur. J. 2012 , <i>18</i> , 9571. |
| 91 | S. Mukherjee, Y. Patil, P. S. Mukherjee | Novel heterometallic chains featuring Mn(III) and Na(I) ions in trigonal prismatic geometries alternately linked to Mn(IV) octahedral ions: Synthesis, structures and detail magnetic study | Inorg. Chem. 2012 , <i>51</i> , 4888. |
| 90 | S. Shanmugaraju, V. Vajpayee, K. Chi, P. J. Stang, P. S. Mukherjee | Coordination driven self-assembly of 2D metallacycles from a new carbazole based 90° dipyriddy donor: Synthesis, characterization, and C ₆₀ binding | Inorg. Chem. 2012 , <i>51</i> , 4817. |
| 89 | S. Shanmugaraju, D. Samanta, P. S. Mukherjee | Self-assembly of Ru ₄ and Ru ₈ assemblies using Ru ₂ organometallic precursors: Synthesis, characterization and properties | Beilstein J. Org. Chem. 2012 , <i>8</i> , 313. (Invited article for a special issue) |
| 88 | D. Samanta, S. Shanmugaraju, Y. Patil, M. Nethaji, P. S. Mukherjee | Pillar height dependent unprecedented Pd ₈ molecular swing and Pd ₆ molecular boat via multicomponent and C ₆₀ binding | Chem. Commun. 2012 , <i>48</i> , 2298. |
| 87 | Arun K. Bar, S. Raghothama, P. S. Mukherjee | Three-component self-assembly of a series of interlocked Pd ₁₂ prisms and their non-interlocked analogues | Chem. Eur. J. 2012 , <i>18</i> , 3199. |
| 86 | B. Gole, A. K. Bar, P. S. Mukherjee | Metal-organic framework for sensing of nitroaromatics | Chem. Commun. 2011 , <i>47</i> , 12137. |

| | | | |
|----|---|---|---|
| 85 | K. C. Mondal, B. Gole, Y. Song, D. Turner, P. S. Mukherjee | Two new chains of Ni ₂ Na ₂ heterometallic double half-cubane building units: synthesis, structures and magnetic behavior | J. Chem. Sci. 2011, 807. (Invited article for a special issue to mark the International Year of Chemistry) |
| 84 | S. Shanmugamraju, S. A. Joshi, P. S. Mukherjee | Self-assembly using of a new organometallic clip: synthesis, characterization and sensing study | Inorg. Chem. 2011, 50, 11736. |
| 83 | S. Mukherjee, Y. P. Patil, P. S. Mukherjee | Cu-Azido polymers with various molar equivalents of blocking amines: Synthesis, structures and magnetic properties with DFT | Dalton Trans. 2012, 54. |
| 82 | S. Shanmugamraju, S. A. Joshi, D. Samanta, P. S. Mukherjee | Coordination-driven self-assembly of 2D-metallamacrocycles using a shape-selective Pt ^{II} -organometallic 90° acceptor: design, synthesis and nitroaromatic sensing | Dalton Trans. 2011, 40, 12333. (Invited Article for a special issue on Molecular Self-Assembly) |
| 81 | R. Chakrabarty, P. S. Mukherjee , P. J. Stang | Supramolecular coordination: Self-assembly of finite 2D and 3D ensembles | Chem. Rev. 2011, 111, 6810. |
| 80 | B. Gole, S. Shanmugaraju, A. K. Bar, P. S. Mukherjee | Supramolecular polymer for explosives sensing: role of H-bonding in enhancement of sensitivity in solid state | Chem. Commun. 2011, 47, 10046. |
| 79 | S. Shanmugamraju, S. A. Joshi, P. S. Mukherjee | Fluorescence and visual sensing of nitroaromatic explosives using electron rich discrete fluorophores | J. Mater. Chem. 2011, 9130. |
| 78 | S. Mukherjee, B. Gole, Y. Song, P. S. Mukherjee | Synthesis, structures and magnetic behavior of a series of CuI-azide polymers of Cu ₄ building clusters and isolation of a new hemiaminal ether as metal complex | Inorg. Chem. 2011, 50, 3621. |

| | | | |
|----|--|--|--|
| 77 | V. Vajpayee, H. Kim, A. Mishra, P. S. Mukherjee , P. J. Stang,* M. H. Lee, K.W. Chi | Self-assembly of molecular squares using metal based acceptor: synthesis and application in sensing of nitroaromatics | <i>Dalton Trans.</i> 2011 , 40, 3112. |
| 76 | A. K. Bar, R. Chakrabarty, P. S. Mukherjee | Coordination driven self-assembly of metallamacrocycles using ambidentate linkers and self-selection of single linkage isomer | <i>Inorg. Chim. Acta.</i> 2011 , 372, 313. (Invited article for a special issue) |
| 75 | S. Shanmugamraju, A. K. Bar, S. Joshi, J. Patil, P. S. Mukherjee | Constructions of 2D-Metallamacrocycles Using Half-Sandwich RuII2 Precursors: Synthesis, Molecular Structures and Self-Selection for a Single Linkage Isomer | <i>Organometallics</i> , 2011 , 30, 1951. |
| 74 | A. K. Bar, S. Shanmugamraju, P. S. Mukherjee | Self-assembly of Pd(II) neutral and cationic rectangles: syntheses, characterizations and nitroaromatics sensing | <i>Dalton Trans.</i> 2011 , 40, 2257. (Invited article for a themed issue: New Talent from Asia). |
| 73 | W. Ming, V. Vajpayee, S. Shanmugamraju, P. S. Mukherjee , K. Chi, P. J. Stang | Coordination driven self-assembly of M ₃ L ₂ trigonal cages from preorganized metalloligands containing octahedral metal centers and fluorescent detection of nitroaromatics | <i>Inorg. Chem.</i> 2011 , 50, 1506. |
| 72 | S. Shanmugamraju, A. K. Bar, P. S. Mukherjee | Ru-O bond directed self-assembly of a Ru ₈ incomplete prism: Synthesis, structure and shape selective molecular recognition study | <i>Inorg. Chem.</i> 2010 , 49, 10235. |
| 71 | S. Mukherjee, P. S. Mukherjee | A series of Cu-azido polymers of Cu ₆ building units and the role of chelating diamine in controlling their dimensionality: Synthesis, structures and magnetic behavior | <i>Inorg. Chem.</i> 2010 , 49, 10658. |

| | | | |
|----|--|---|--|
| 70 | O. Sengupta, B. Gole, P. S. Mukherjee | Synthesis, crystal structures and magnetic behavior of two 3D coordination polymers using N-(4/3 carboxyphenyl) iminodiacetic acids as bridging ligands | <i>Polyhedron</i> , 2010 , 29, 2945. |
| 69 | A. K. Bar, G. Mostafa, P. S. Mukherjee | A Pd ₆ Molecular cage via multicomponent self-assembly incorporating both neutral and anionic linkers | <i>Inorg. Chem.</i> 2010 , 49, 7647. |
| 68 | O. Sengupta, and P. S. Mukherjee | Tetrazole bridged multiferroic coordination polymers: Synthesis, structures and magnetic behavior | <i>Inorg. Chem.</i> 2010 , 49, 8583. |
| 67 | S. Shanmugamraju, A. K. Bar, K-W. Chi P. S. Mukherjee | Coordination driven self-assembly of metallamacrocycles via a new organometallic building block with 90° geometry and optical sensing of anions | <i>Organometallics</i> , 2010 , 29, 2971. |
| 66 | B. Gole, S. Mukherjee, Y. Song, P. S. Mukherjee | Use of 2-pyrimidineamidooxime to generate polynuclear homo-/heteronuclear assemblies: synthesis, structure and magnetism | <i>Dalton Trans.</i> 2010 , 9766. |
| 65 | O. Sengupta, B. Gole P. S. Mukherjee | A series of transition metal-azido extended complexes with various anionic and neutral co-ligands | <i>Dalton Trans.</i> 2010 , 7451. |
| 64 | O. Sengupta, B. Gole, P. S. Mukherjee | Synthesis, crystal structures and magnetic behavior of two 3D coordination polymers using N(4/3carboxyphenyl)iminodiacetic acids as bridging ligands | <i>Inorg. Chim. Acta</i> , 2010 , 3093. (Invited article) |
| 63 | S. Mukherjee, B. Gole, R. Chakrabarty, P. S. Mukherjee | Cu(II)-azido polymers of Cu ₃ and Cu ₆ building units: synthesis, structures and magnetic exchange mechanism | <i>Inorg. Chem.</i> 2009 , 48, 11325. |

| | | | |
|----|--|---|---|
| 62 | O. Sengupta, Y. Song, P. S. Mukherjee | Co(II) and Cr(III) complexes of formate-formamide mixed ligands: synthesis, structures, single crystal-to-single crystal transformation and magnetic behavior | <i>Dalton Trans.</i> 2009 , 10343. |
| 61 | A. K. Bar, R. Chakrabarty, P. S. Mukherjee | Self-assembly of a Pd ₆ Molecular Double-Square and a Cu ₃ -TBP cage via a New Tripodal Flexible Ligand | <i>Inorg. Chem.</i> 2009 , 48, 10880. |
| 60 | O. Sengupta and P. S. Mukherjee | Three-component assembly of a metal-inorganic 3D coordination polymer of Co(II) containing bridging hydrazine: observation of spin-canting behavior | <i>Dalton Trans.</i> 2009 , 7599. |
| 59 | S. Ghosh, B. Gole, A. K. Bar, and P. S. Mukherjee | Design and synthesis of fluorescent molecular prism via Pt ₃ organometallic acceptors and a Pt ₂ clip | <i>Organometallics</i> , 2009 , 28, 4288. |
| 58 | A. K. Bar, B. Gole, S. Ghosh, and P. S. Mukherjee | Self-assembly of a Pd(II) neutral molecular rectangle via a new organometallic Pd ₂ molecular clip | <i>Dalton Trans.</i> 2009 , 6701. |
| 57 | K. C. Mondal, O. Sengupta, and P. S. Mukherjee | A rare homoacetylate bridged Cu ₄ half-cubane antiferromagnetic cluster | <i>Inorg. Chem. Comm.</i> 2009 , 12, 682. |
| 56 | A.K. Bar, R. Chakrabarty, K-W. Chi, S. R. Batten and P. S. Mukherjee | Synthesis and characterization of heterometallic molecular triangles using ambidentate linker: Self-selection of a single linkage isomer | <i>Dalton Trans.</i> 2009 , 3222. |
| 55 | S. Ghosh and P. S. Mukherjee | Self-Assembled Pd(II) Metallo-cycles Using an Ambidentate Donor and the Study of Square-Triangle Equilibria | <i>Inorg. Chem.</i> 2009 , 48, 2605. |

| | | | |
|----|---|---|---|
| 54 | S. Ghosh, R. Chakrabarty, and P. S. Mukherjee | Design, Synthesis and Characterizations of a Series of Pt ₄ Macrocycles and Fluorescent Sensing of Cu ²⁺ /Ni ²⁺ Through Metal Coordination | <i>Inorg. Chem.</i> 2009 , 48, 549. |
| 53 | A. K. Bar, R. Chakrabarty, G. Mostafa and P. S. Mukherjee | Self-assembly of a nanoscopic Fe ₁₂ Pt ₁₂ open hexagonal barrel containing six porphyrin walls | <i>Angew. Chem. Int. Ed.</i> 2008 , 47, 8455. work highlighted in a Nature publishing group journal " <u>Asia Materials</u> " by the Editor of Nature Chemistry) |
| 52 | K. C. Mondal, O. Sengupta, P. Dutta, S. K. Nayak and P. S. Mukherjee | 3d-4f heterometallic hybrid 3D polymers: synthesis, structure and magnetism | <i>Inorg. Chim. Acta.</i> 2009 , 392, 1913. |
| 51 | A. K. Bar, R. Chakrabarty, and P. S. Mukherjee | Unusual hydrogenation of fumarate anion followed by metal-carbon bond formation: Synthesis and characterizations of two metallochelates | <i>Organometallics</i> , 2008 , 27, 3806. |
| 50 | K. C. Mondal and P. S. Mukherjee | Three new Cu-azido polymers and their systematic inter conversion: Role of the amount of the blocking amine on the structural diversity and magnetic behavior | <i>Inorg. Chem.</i> 2008 , 47, 4215. |
| 49 | S. Ghosh and P. S. Mukherjee | Self-assembly of a trigonal trism via a new organometallic Pt ₃ linker and its fluorescent detection of nitroaromatics | <i>Organometallics</i> , 2008 , 27, 316. [(a) This work was highlighted in a daily newspaper <u>The Telegraph</u> on 20 th Oct. 2008; (b) This paper was selected as one of the most accessed articles in the first quarter of 2008] |
| 48 | K. C. Mondal, O. Sengupta, M. Nethaji, and P. S. Mukherjee | Assembling metals with pyridylcarboxylates to for polynuclear extended materials | <i>Dalton Trans.</i> 2008 , 767. |

| | | | |
|----|---|--|---|
| 47 | S. Ghosh, R. Chakrabarty, and P. S. Mukherjee | Self-assembly of four new Pd(II) molecular boats using imidazole donor linker | <i>Dalton Trans.</i> 2008 , 1850. |
| 46 | S. Ghosh and P. S. Mukherjee | Self-assembly of a series of metallamacrocycles via a rigid phosphorus donor linker | <i>Organometallics</i> , 2007 , 26, 3362. |
| 45 | S. Ghosh, S. R. Batten and P. S. Mukherjee | Self-assembly of a nanoscopic Pt(II) double square | <i>Organometallics</i> , 2007 , 26, 3252. |
| 44 | K. C. Mondal, Y. Song, and P. S. Mukherjee | A Mn ₉ mixed valent single molecule magnet | <i>Inorg. Chem.</i> 2007 , 46, 9736. |
| 43 | K. C. Mondal and P. S. Mukherjee | Synthesis of a Mn ₆ cluster and its self-assembly of an azido bridged chain | <i>Inorg. Chem.</i> 2007 , 46, 5625. |
| 42 | S. Ghosh and P. S. Mukherjee | Self-assembly of metal-organic hybrid rectangles | <i>Dalton Trans.</i> 2007 , 2542. |
| 41 | S. Ghosh, S. R. Batten and P. S. Mukherjee | Design and synthesis of a heterometallic triangle and self-selection for a single isomer | <i>Dalton Trans.</i> 2007 , 1869. (Featured on the cover of the issue and was selected as one of the top-ten accessed papers). |
| 40 | P. S. Mukherjee , N. Lopez, F. C. Lee, J. C. Noveron | Single-crystal to single-crystals phase transition of bis(N-phenylisonicotinamide)silver(I) nitrate reveal cooperativity in porous materials | <i>Chem. Commun.</i> 2007 , 1433. |
| 39 | K. C. Mondal and P. S. Mukherjee | Mn(II) azido chain using a new amide ligand: synthesis, crystal structure and variable temperature magnetic behavior | <i>Synthesis and reactivity of Inorganic, Metal-Organic, and Nano-metal Chemistry</i> , 2007 , 39,735 (Invited article) |
| 38 | S. Ghosh and P. S. Mukherjee | Self-assembly of molecular nanoballs: Design, synthesis and characterization | <i>J. Org. Chem.</i> 2006 , 71, 8412. |

| | | | |
|----|--|--|---|
| 37 | S. Ghosh and P. S. Mukherjee | The first Pt(II) TBP cage with ester functionality | <i>Tetrahedron Lett.</i> 2006 , 47, 9297. |
| 36 | O. Sengupta, R. Chakrabarty and P. S. Mukherjee | Dual role of azido in the construction of a 3D Mn(II) polymer using bridging 5-pyrimidine carboxylate | <i>Dalton Trans.</i> 2007 , 4514. |
| 35 | Sanjit Konar, P. S. Mukherjee , Ennio Zangrando, Talal Mallah, N. Ray Chaudhuri | Ni(II) dicyanamide 2D extended networks: synthesis, crystal structure and low temperature magnetic studies | <i>Inorg. Chim. Acta.</i> 2005 , 358, 957. |
| 34 | Sanjit Konar, P. S. Mukherjee , E. Zangrando, T. Mallah, N. Ray Chaudhuri | A porous 2D copper (II) polymer of trimesic acid | <i>Inorg. Chim. Acta.</i> 2005 , 358, 29. |
| 33 | P. S. Mukherjee , Neeladri Das, and Peter J. Stang | Self-assembly of nanoscopic 3D cages using a flexible tripodal amide containing linker | <i>J. Org. Chem.</i> 2004 , 69, 3526. |
| 32 | P. S. Mukherjee , Neeladri Das, Y. Kryeschenko, Atta M. Arif, Peter J. Stang | Design, Synthesis and Crystallographic Studies of Neutral Platinum Based macrocycles formed via self-assembly | <i>J. Am. Chem. Soc.</i> 2004 , 126, 2464. |
| 31 | P. S. Mukherjee , D. Ghoshal, E. Zangrando, T. Mallah and N. Ray Chaudhuri | Use of two different dicarboxylates towards the design of two new 3D and 2D networks | <i>Eur. J. Inorg. Chem.</i> 2004 , 4675. |
| 30 | P. S. Mukherjee , Kil Sik Min, Atta M. Arif and Peter J. Stang* | Synthesis and crystal structure of two discrete, neutral assemblies of manganese and zinc using a rigid organic clip | <i>Inorg. Chem.</i> 2004 , 43, 6345. |

| | | | |
|----|--|---|---|
| 29 | P. S. Mukherjee , Sanjit Konar, E. Zangrando, F. Lloret, N. Ray Chaudhuri | A single dicyanamide bridged Cu(II) dimer: synthesis, crystal structure and magnetic behavior | <i>Indian J. Chemistry</i> 2004 , 43A, 760. |
| 28 | Sudipta Dalai, P. S. Mukherjee , Ennio Zangrando, Joan Ribas, N. Ray Chaudhuri | Two new 3D architectures of Cu(II): synthesis, crystal structures and variable temperature magnetic studies | <i>Indian J. Chemistry</i> (Special issue), 2003 , 42A, 2250. |
| 27 | N. Das, P. S. Mukherjee , Atta M. Arif, Peter J. Stang | Facile self-assembly of neutral 2D Pt(II) macrocycles of a new class of rigid oxygen donor linkers | <i>J. Am. Chem. Soc.</i> 2003 , 125, 13950. |
| 26 | S. Konar, P. S. Mukherjee , M.G.B. Drew, J. Ribas, N. Ray Chaudhuri | Synthesis of two new 1D and 3D networks of Cu(II) and Co(II) using malonate and eurotropine: crystal structures and magnetic studies | <i>Inorg. Chem.</i> 2003 , 42, 2545. |
| 25 | P. S. Mukherjee , S. Konar, E. Zangrando, T. Mallah, J Ribas and N. Ray Chaudhuri | Structural analyses and magnetic properties of two novel 3D networks of nickel(II) and manganese(II) using carboxylato as bridging ligand | <i>Inorg. Chem.</i> , 2003 , 42, 2695. |
| 24 | S. Dalai, P. S. Mukherjee , S. Geib, N. Ray Chaudhuri | Synthesis and crystal structure of two extensively hydrogen bonded network of Cu(II) | <i>Indian J. Chem.</i> , 2002 , 41A, 1363. |
| 23 | P. S. Mukherjee , S. dalai, E. Zangrando, F. Lloret, N. Ray Chaudhuri | A novel class of interpenetrated 3-D network of dimeric cupric-tetracarboxylate | <i>Dalton Trans</i> , 2002 , 822. (Selected as one of the top-ten accessed papers). |
| 22 | P. S. Mukherjee , S. Konar, E. Zangrando, J. Ribas, N. Ray Chaudhuri | Two new bi-bridging 1D metal-organic chains of Cu(II) | <i>Dalton Trans</i> . 2002 , 3471. |

| | | | |
|----|--|---|---|
| 21 | S. Konar, P. S. Mukherjee , E. Zangrando, F. Lloret, and N. Ray Chaudhuri | A 3-D homometallic molecular ferrimagnet | <i>Angew. Chem. Int. Ed.</i> 2002 , 41, 1561 |
| 20 | P. S. Mukherjee , S. Dalai, T. Mallah, N. Ray Chaudhuri | A doubly end-to-end azido 1D ferromagnetic chain | <i>Inorg.Chem. Commun.</i> 2002 , 5, 472. |
| 19 | S. Dalai, P. S. Mukherjee , E. Zangrando, N. Ray Chaudhuri | Two 1D and 3D coordination polymer of Mn(II) with dicyanamide bridge: synthesis, crystal structure and magnetic behaviour | <i>New J. Chem.</i> 2002 , 26, 1185. |
| 18 | P. S. Mukherjee , T. K. Maji, R. Vicente, J. Ribas, N. Ray Chaudhuri | Three novel end-to-end single azido bridged 1D copper(II) chains: Syntheses, crystal structure determination and magnetic behavior | <i>Eur. J. Inorg. Chem.</i> 2002 , 943. |
| 17 | S. Dalai, P. S. Mukherjee , G. Rogez, T. Mallah, M. G. B. Drew N. Ray Chaudhuri | Synthesis, crystal structures and magnetic properties of two new 1D copper(II) coordination polymers containing fumarate(-2) and chelating N, N-donor | <i>Eur. J. Inorg. Chem.</i> 2002 , 3292. |
| 16 | S. Dalai, P. S. Mukherjee , M. G. B. Drew, T. H. Lu, N. Ray Chaudhuri | Azido bridged two new ferromagnetic Cu(II) chains: synthesis, structure and variable temperature magnetic behaviour | <i>Inorg. Chim. Acta</i> , 2002 , 335, 85. |
| 15 | P. S. Mukherjee , T. K. Maji, G. Mostafa, J. Ribas, M. S. El Fallah, N. Ray Chaudhuri | Observation of dominant ferromagnetic interaction in fumarate bridged 1-D polymer of Cu(II) | <i>Inorg. Chem.</i> 2001 , 40, 928. |
| 14 | T. K. Maji, P. S. Mukherjee , G. Mostafa, T. Mallah, J.C. Boquera, N. Ray Chaudhuri | First observation of ferromagnetic interaction through end-to-end azido bridging pathway in 1D copper(II) system | <i>Chem. Commun.</i> 2001 , 1012. |

| | | | |
|----|---|--|--|
| 13 | T. K. Maji, P. S. Mukherjee , G. Mostafa, E. Zangrando, N. Ray Chaudhuri | 1D porous framework of copper(II) using novel coordination mode of Ni(CN) ₄ ²⁻ | Chem. Commun. 2001 , 1368. |
| 12 | P. S. Mukherjee , S. Dalai, G. Mostafa, E. Zangrando, T. H. Lu, G. Rozeg, N. Ray Chaudhuri | A three-component fully interlocked 3-D network: crystal structure and magnetic behaviour | Chem. Commun. 2001 , 1346. |
| 11 | P. S. Mukherjee , S. Dalai, E. Zangrando, F. Lloret, N. Ray Chaudhuri | The first metamagnetic 1-D molecular material with nickel(II) and end-to-end azido bridge | Chem. Commun. 2001 , 1444. |
| 10 | T. K. Maji, P. S. Mukherjee , S. Koner, G. Mostafa, J. P. Tuchagues, N. Ray Chaudhuri | 1 D coordination polymer of copper(II) containing m-1,1,3 azido ligand with alternating ferro-antiferromagnetic interaction | Inorg. Chim. Acta , 2001 , 314,111. |
| 09 | P. S. Mukherjee , T. K. Maji, T. Mallah, E. Zangrando, L. Randaccio, N. Ray Chaudhuri | A novel bimetallic alternating chain: synthesis, crystal structure and magnetic study | Inorg. Chim. Acta , 2001 , 315, 249. |
| 08 | P. S. Mukherjee , T. K. Maji, G. Mostafa, W. Hibbs, N. Ray Chaudhuri | A 1D coordination polymer of copper(II) with three different bridging anions: synthesis, crystal structure, and magnetic behaviour | New J. Chem. 2001 , 25, 760. |
| 07 | P. S. Mukherjee , S. Dalai, G. Mostafa, T. H. Lu, E. Rentschler, N. Ray Chaudhuri | Synthesis, crystal structure, and magnetic properties of two new Cu(II) complexes with end-to-end azido bridging | New J. Chem. 2001 , 25, 1203. |
| 06 | S. Dalai, P. S. Mukherjee , G. Rogez, T. Mallah, M. G. B. Drew N Ray Chaudhuri | Synthesis, Crystal Structures and Magnetic Properties of two New 1D Copper(II) Coordination Polymers Containing Fumarate(- 2) and Chelating N,N ϕ -Donor as | Eur. J. Inorg. Chem. 2002 , 3292. |

| | | | |
|----|---|--|---|
| | | Ligands | |
| 05 | T. K. Maji, G. Mostafa, P. S. Mukherjee , A. Mondal, A. J. Welch, K. Okamoto, N. Ray Chaudhuri | Synthesis of triamine complexes of nickel(II) selenocyanate and their thermally induced dimerization | <i>Polyhedron</i> , 2000 , <i>19</i> , 1903. |
| 04 | J. Cheng, F. L. Liao, T. H. Lu, P. S. Mukherjee , T. K. Maji, N. Ray Chaudhuri | An oxalato-bridged copper(II) complex | <i>Acta Cryst.</i> , 2001 , <i>E57</i> , m263. |
| 03 | T. K. Maji, I. R. Laskar, G. Mostafa, A. J. Welch, P. S. Mukherjee , N. Ray Chaudhuri | An 1D thiocyanato bridge nickel (II) system: Crystal structure and magnetism | <i>Polyhedron</i> 2001 , <i>20</i> , 651. |
| 02 | P. S. Mukherjee , T. K. Maji, S. Koner, G. Rosair, N. Ray Chaudhuri | Synthesis and magnetic study of three new μ -oxalato dinuclear copper(II) complexes | <i>Indian J. Chem.</i> , 40A , 2001 , 451. |
| 01 | P. S. Mukherjee , T. Maji, G. Mostafa, T. Mallah, N. R. Chaudhuri | The first alternating single end-on and single end-to-end azido bridged Cu(II) chain | <i>Inorg. Chem.</i> , 2000 , <i>39</i> , 5147. |

Editorial

“Special Issue: Self-assembled Molecules/Materials”

P. S Mukherjee

CHEMICAL RECORD Volume: 21 Issue: 3 Special Issue: SI Pages: 441-442

Book Chapters

- 1) Book Chapter on “*Pd/Pt-ethynyl bond containing molecular architectures as sensors for nitroaromatics*”

Molecular Self-Assembly: Advances and Applications

Pan Stanford Publishing Pte. Ltd. 2011, Chapter-9

S. Pramanik, S. Shanmugaraju, **P. S. Mukherjee**

- 2) Applications of Self-Assembled Metallomacrocycles II: Catalysis and Sensing

L. Xu, Yi-Xiong Hu, **P. S. Mukherjee**

Self-Assembled Metallacycles

RSC, 2019, Chapter-10.